

Pro-face Worldwide offices

UpSDUDWRQVG,01RXYRMDGRQVJpYHORSSHUYRWUHDFWYVWpJpFKHOOHPRQGDOH

QTMFSRMREWHQUOHVFRRUGRQQpHVWpOpSKRQTMVHWpOHFWURQTMVGHFKDQVWHWHQRX3URIDFH0RQGH

Pro-face Worldwide offices



JapRQ
 AustraliH
 ChinH
 IndH
 &UpH
 SingapoE
 Taiwan
 ThawlandH
 Vietnam
 IndonpsiH
 Philippines
 MalasiH

AmpriTAV
 BrpMI
 Canada
 MHTM

AuWUKH
 BelgTM
 DDQHPDUNHW6EH
 France
 \$OHPDTQH
 ItalH
 3DVWV
 PoORJQH
 (VSDJQHHWortugal
 SMVH
 5RDH8QL

Support Mondial

Des services globaux rendent la maintenance efficace pour réduire les délais et les coûts.

Le spécialiste des interfaces homme-machine Pro-face vous offre une assistance mondiale pour votre tranquillité d'esprit

1. Une assistance est disponible par téléphone et par e-mails dans 27 sites dans le monde. (Langue locale).
2. Des enquêtes et des analyses de qualité japonaise garantissent la tranquillité d'esprit.
3. Réparation gratuite pendant la période de garantie. (Un service de réparation local est disponible)
4. Les réparations hors garantie sont payantes (service de réparation sur place).

Normes et Réglementations par Pays

Il est compatible avec diverses normes et peut être utilisé dans de multiples applications dans le monde entier.

Pays (Applications)	Standards
Europe	CE
U.S.A.	UL 61010-2-201
Canada	CSA C22-2 No 61010-2-201
U.S.A. (Anti-explosion)	UL 121201 C1D2
Canada(Anti-explosion)	CSA C22.2 N°213 C1D2
Australia	RCM
Korea	KC
United Kingdom	UKCA
Norway/Germany (Marine)	DNV
Europe (Anti-explosion)	IECEX/ATEX

